

2101 1. General guidelines for managing a drug/alcohol crisis include:

- a. Ensuring your own personal safety.
- b. Feeding into the victim's fantasy
- c. Never maintaining eye contact.
- d. Discouraging the victim from talking about the crisis.

P2816 2. A conscious victim of a stroke may not be able to speak, but can still understand and hear you speak.

- a. True
- b. False

3. Which of the following would most likely cause true dyspnea?

- a. Exercise
- b. Coughing
- c. Aspiration of a foreign body
- d. All of the above

3016 4. Hypoglycemia doesn't look anything like shock.

- a. True
- b. False

5. How many causes of abdominal pain are there according to medical reference guides?

- a. 25
- b. 50
- c. 100
- d. 200

P327 6. Neurological emergencies involving a disturbance in the chemical or electrical activity of the brain are generally more frightening than they are life-threatening.

- a. True
- b. False

7. During which stage of labor does the mother experience an uncontrollable urge to push?

- a. Dilation
- b. Crowning
- c. Delivery
- d. Delivery of the placenta

? P340 8. An average eight-year-old breathes forty breaths per minute.

- a. True
- b. False

infants = 40 bpm  
8 y/o = 25 bpm

P357

1. First Aid is the \_\_\_\_\_ and immediate care given to a person who is injured or suddenly becomes ill.

- P2
- a. First
  - b. Temporary
  - c. Basic
  - d. Minimal

2. Good Samaritan laws are enacted to protect the First Aider from being sued unless the First Aider is found guilty of negligence.

- P4
- a. True
  - b. False

3. To establish rapport with the victim and gain control of the situation, you need to use the three Cs. Which one of the following is not one of the "three Cs"?

- P35
- a. Control
  - b. Confidence
  - c. Competence
  - d. Compassion

4. The recovery position can help conscious or unconscious victims maintain an open airway.

- ✓
- a. True
  - b. False

5. Cardiopulmonary resuscitation is:

- ✓
- a. Opening and maintaining the airway.
  - b. Providing artificial ventilation through rescue breathing.
  - c. Providing artificial circulation through chest compressions.
  - d. All of the above.

6. Internal bleeding is most often caused by penetration objects.

- P29
- a. True
  - b. False

7. The internal bleeding that results from a \_\_\_\_\_ can be severe enough to cause deep shock and/or death.

- P17
- a. Contusion
  - b. Hematoma
  - c. Crush injury
  - d. Wound

8. If possible, you should rinse off an amputated part with alcohol.

- P124
- a. True
  - b. False

9. In attempting to save a tooth for reimplantation, you should:

- 145
- a. Wrap the tooth in dry gauze.
  - b. Scrub the tooth to remove any debris.
  - c. Immerse the tooth in saliva or cold milk.
  - d. Only handle the tooth at the root

10. Hemoptysis is the coughing up of dark brown blood.

- P151
- a. True
  - b. False

PKUG

1. Which of the following is not included in the four basic purposes for dressings and bandages?

- a. Control pain
- b. Immobilize the wound site
- c. Keep the wound dry
- d. Prevent further contamination and injury

?

2. A wound should be dressed and bandaged as quickly as possible to control heavy hemorrhaging.

- a. True
- b. False

PKUG

3. Because dislocation are often accompanied by fractures, you should immobilize all dislocations:

- a. As straight as possible
- b. In the position found
- c. In its most natural position
- d. None of the above

P193

4. If the victim shows signs of shock, arrange for immediate transportation without taking time to apply a splint.

- a. True
- ~~b. False~~

PKUG

5. When the brain is injured, blood vessels in the brain dilate allowing more blood into the injured area; swelling and an increase in pressure result. This can affect:

- a. Heart rate
- b. Breathing
- c. Blood pressure
- d. All of the above

P228

6. The cervical vertebrae are the least prone to injury.

- a. True
- b. False

✓

7. Poisoning is the \_\_\_\_\_ cause of accidental death in the United States.

- a. Number one
- b. Second leading
- c. Third leading
- d. Fourth leading

?

8. Food poisoning is difficult to detect because the signs and symptoms vary greatly.

- a. True
- b. False